



14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

July 31, 2009

CIRCOR INSTRUMENTATION
405 CENTURA COURT P.O. BOX# 4866
SPARTANBURG, SC 29305
US

Service Request Type.: BPV-National ACI Central
Service Request No.: 052939880-004
Your Reference No.: 200, C200 & H200 SERIES CHECK VALVES

Dear A. H. LONG,



Please find enclosed the original response from ACI CENTRAL registered under the CRN No.:
0C12966.57890YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly. However, once your design has been successfully registered in all of the requested jurisdictions, you may receive an invoice from TSSA for any outstanding jurisdictional fees.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis
Administrative Assistant BPV Engineering
Tel.: 416-734-3423
Fax: 416-231-6183
Email: tfrancis@tssa.org

MANUFACTURERS NAME: <u>Circor Instrumentation Technologies, dba: Circle Seal Controls</u>	
MANUFACTURERS ADDRESS: <u>2301 Wardlow Circle</u>	
PLANT LOCATIONS: <u>Corona, CA 92880</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION Proprietary Internal Design Standard supported by ASME stress Calculations
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT  	TYPE OF CONSTRUCTION FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Catalogue CSCCV-C-09/06 Pages 1,3 thru 8, 15,16 only, Stress Calculations, Engineering Drawings, Quality Certificate	

DECLARATION:
 I Arthur H. Long (see note 3) employed by Circor Inst Tech. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ABS ISO 9001:2000 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Arthur H. Long*
 Declared before me at *Spartanburg, SC*
 This *14* day of *Nov* AD *2007*
 Commissioner of Oaths or Notary Public: (sign) *Linda Marie Cox*
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority use, 2015
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C12966.5
 FID#: 1369

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

ACCEPTED

PROVINCE OF PRINCE EDWARD ISLAND
 DEPT. OF PROVINCIAL AFFAIRS

CRN: 0C12966.59
 DATE: May 08/09

INSPECTION DIVISION
 505 PRINCE STREET, CHARLOTTETOWN, PEI C1A 4L3



MANUFACTURERS NAME: Circor Instrumentation Technologies, dba: Circle Seal Controls
 MANUFACTURERS ADDRESS: 2301 Wardlow Circle
 PLANT LOCATIONS: Corona, CA 92880

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
Proprietary Internal Design Standard supported by ASME stress Calculations

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



 

TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Catalogue CSCCV-C-09/06 Pages 1,3 thru 8, 15,16 only, Stress Calculations, Engineering Drawings, Quality Certificate

DECLARATION:
 I Arthur H. Long (see note 3) employed by Circor Inst Tech. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ABS ISO 9001:2000 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarant: 
 Declared before me at Spanaway, N.S.
 This 15th day of Nov AD 2007
 Commissioner of Patents or Notary Public (sign) 
 (Affix Official seal to the right)



USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C12966.5
 FID#: 1269

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

MY COMMISSION EXPIRES MARCH 18, 2015


 Date: May 8/09
 C.R.N. 0C12966.58
 Dwg. as described
 Signed Yvonne Perry


MANUFACTURERS NAME: Circor Instrumentation Technologies, dba: Circle Seal Controls

MANUFACTURERS ADDRESS: 2301 Wardlow Circle

PLANT LOCATIONS: Corona, CA 92880

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1 Class 2 Class 3 , (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

Proprietary Internal Design
Standard supported
by ASME stress
Calculations

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



CIRCLE SEAL CONTROLS, INC.

TYPE OF CONSTRUCTION

FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Catalogue CSCCV-C-09/06 Pages 1,3 thru 8, 15,16 only, Stress Calculations, Engineering Drawings, Quality Certificate

DECLARATION:

I Arthur H. Long (see note 3) employed by Circor Inst Tech. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ABS ISO 9001:2000 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Arthur H. Long

Declared before me at Spartanburg, S.C.

This 14 day of Nov AD 2007

Commissioner of Oaths
or Notary Public: (sign) Sandra Mae Cox

(Affix Official seal to the right)

MY COMMISSION EXPIRES

USE THIS SPACE FOR THE
OFFICIAL SEAL

This space for Regulatory Authority use, 2015

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C12966.5

FID#: 1369

Notes:

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

New Brunswick
Brunswick
DEPT OF PUBLIC SAFETY
BOILER & PRESSURE VESSEL ACT

REGISTRATION ONLY

CRN 0C12966.5

EXAMINER: Dale E. Ross

for
CHIEF BOILER INSPECTOR

DATE: May 8, 2009

BLRs PVs



FITTINGS COMPONENTS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Circor Instrumentation Technologies, dba: Circle Seal Controls</u>	
MANUFACTURERS ADDRESS: <u>2301 Wardlow Circle</u>	
PLANT LOCATIONS: <u>Corona, CA 92880</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION Proprietary Internal Design Standard supported by ASME stress Calculations
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT  	TYPE OF CONSTRUCTION FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Catalogue CSCCV-C-09/06 Pages 1,3 thru 8, 15,16 only, Stress Calculations, Engineering Drawings, Quality Certificate	

DECLARATION:

I Arthur H. Long (see note 2) employed by Circor Inst Tech. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ABS ISO 9001:2000 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarant: Arthur H. Long
 Declared in presence of: Stephanie D.C.
 This: 2009 AD 2007
 Commission Expires: June 2010
 or Notary: Stephanie D.C.
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

This registration must be revalidated after ten (10) years from the date of acceptance

CRN: OC12966.5
 FID#: 1369

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

 GOVERNMENT OF NEWFOUNDLAND AND LABRADOR Department of Government Services Registered <u>OC12966.50</u> Date <u>6/21/2009</u> GOVERNMENT SERVICE CENTRE Engineering and Inspection Services Registered by <u>[Signature]</u> UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS
--



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
 NUNAVUT

NOVA SCOTIA
 YUKON

PRINCE EDWARD ISLAND
 NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Circor Instrumentation Technologies, dba: Circle Seal Controls</u>	
MANUFACTURERS ADDRESS: <u>2301 Wardlow Circle</u>	
PLANT LOCATIONS: <u>Corona, CA 92860</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>Proprietary Internal Design Standard supported by ASME stress Calculations</p>
<p align="center">SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p align="center">   </p>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>
<p align="center">LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>Catalogue CSCCV-C-09/06 Pages 1,3 thru 8, 15,16 only, Stress Calculations, Engineering Drawings, Quality Certificate</p>	

DECLARATION:
 I, Arthur H. Long (see note 3) employed by Circor Inst Tech. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ABS ISO 9001:2000 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Arthur H. Long*
 Declared before me at: Spokane, B.C.
 This: 22nd Day of May AD 2007
 Commissioner of Gas or Notary Public (sign): *Wendy Mac Coy*
 (Affix Official seal to the right)


USE THIS SPACE FOR THE
OFFICIAL SEAL

This space for Regulatory Administration 2015

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC12966 5
 FID#: 1369

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.




MANUFACTURERS NAME: **Circor Instrumentation Technologies, dba: Circle Seal Controls**
 MANUFACTURERS ADDRESS: **2301 Wardlow Circle**
 PLANT LOCATIONS: **Corona, CA 92880**

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY.

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 (Meeting AECS or ASME requirements)

TITLE OF THE STANDARD OR CONSTRUCTION
 Proprietary Internal Design Standard supported by ASME stress Calculations

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

CIRCOR Instrumentation Technologies  **CIRCLE SEAL CONTROLS, INC.**

TYPE OF CONSTRUCTION
 FORGED OR WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Catalogue CSCCV-C-09/06 Pages 1,3 thru 8, 15,16 only, Stress Calculations, Engineering Drawings, Quality Certificate

DECLARATION:
 I, Archuz H. Long (see note 3) employed by Circor Inst Tech. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASIS ISO 9001:2000 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at: [Signature] USE THIS SPACE FOR THE OFFICIAL SEAL
 This 2007 day of Nov AD 2007
 Commissioned Notary Public (sign) [Signature] MY COMMISSION EXPIRES 2015
 (Affix Official seal to the right)

This space for Regulatory Authority, 2015
 This registration must be revalidated after ten (10) years from the date of acceptance. **\$150.00**

CRN: 0012966 5
 FID#: 1369

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Northwest Territories REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.
 C.R.N. 0012966 5
 SIGNED [Signature]
 DATE May 30, 09

MANUFACTURERS NAME: Circor Instrumentation Technologies, dba: Circle Seal Controls
 MANUFACTURERS ADDRESS: 2301 Wardlow Circle
 PLANT LOCATIONS: Corona, CA 92880

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges, all types
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1 Class 2 Class 3 (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

Proprietary Internal Design
 Standard supported
 by ASME stress
 Calculations

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



CIRCLE SEAL CONTROLS, INC.

TYPE OF FABRICATION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Catalogue CSCCV-C-09/06 Pages 1,3 thru 8, 15,16 only. Stress Calculations, Engineering Drawings, Quality Certificate

DECLARATION:

I, Arthur H. Long (one name) employed by Circor Inst Tech. and being the person having full authority and responsibility for the quality of the end product, do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, procedure, temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASQ ISO 9001:2000 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Arthur H. Long

Declared before me at Spokane, WA

This 15 day of May AD 2007

Commissioner of Courts or Notary Public (sign)

Shirley Marie Cox
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

MY COMMISSION EXPIRES

This space for Regulatory Authority MAY 18, 2015

This registration must be revalidated after ten (10) years from the date of acceptance

CRN: 0012966 5

FID#: 1360

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

NUNAVUT

Boilers and
Pressure Vessels Act

REGISTERED

CRN: 0012966-5N

Date: MAY 8, 2009

Signed: [Signature]
 Chief Inspector