

APPENDIX "A"

CIT/CSC Registration

Category "C"

CIT/CSC Relief Valves 500 Series ASME Safety Relief Valves

Series	Type	Size	Materials of Construction	Material Specifications	NGV Use
500 **	Relief	1/8", 1/4", 3/8", 1/2", 3/4", 1", 1-1/4"	Aluminum, Brass, SS303, SS316	ASTMB211/AMS4082, ASTMB16/ASTMB584/AST MB21, ASTM A582/AMS5640, ASTM A479	N/A
L500 **	Relief	1/4", 1/2"	Brass, SS316	ASTMB16/ASTMB584/ASTMB21, ASTM A479	N/A
HP500 **	Relief	1/4", 1/2"	Brass, SS316	ASTMB16/ASTMB584/ASTMB21, ASTM A479	N/A
					N/A
					N/A

NOTE:



TECHNICAL STANDARDS & SAFETY AUTHORITY
 14th Floor, Centre Tower
 3300 Bloor Street West
 Toronto, Ontario
 Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, Arthur H. Long, Project Mgr. Product Registration and Certification (Applicant)
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Circor Instrumentation Technologies dba: Circle Seal Controls Inc.
(Name of Manufacturer)

Located at 2301 Warlow Circle, Corona, CA 92880 USA (Manufacturer) 864 595 5149 864 587 5608
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of

(Title of recognized North American Standard)
 which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with Internal Design and BP&V Code _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2000
 Cert # 30175 which has been verified by the following authority, ABS Quality Evaluations.

The items covered by this declaration, for which I seek registration, are category "C" Safety Relief Devices type fittings. In support of this application, the following information and/or test data are attached as follows:
Cat # JPC-475L Pages 1 through 4, Data Sheets, ASME Nat'l Board Test Results, Drawings and Stress Analysis
(drawings, calculations, test reports, etc.)

Declared before me at Spartanburg in the state of South Carolina
 the 24th day of October AD 2007.

Commissioner for Oaths:

Linda Marlene Cox
(Printed name)
Linda Marlene Cox
(Signature)

MY COMMISSION EXPIRES
MARCH 18, 2015

Arthur H. Long
(Signature of Declarer)

FOR OFFICE USE ONLY


To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C.

CRN: DC12098.5

Registered by: S. Lam

Dated: FEB 29, 2008

NOTE: This registration expires on FEB 29, 2018





TECHNICAL STANDARDS & SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, Arthur H. Long, Project Mgr. Product Registration and Certification (Applicant)
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Circor Instrumentation Technologies dba: Circle Seal Controls Inc.
(Name of Manufacturer)

Located at 2301 Warlow Circle, Corona, CA 92880 USA (Manufacturer) 864 595 5149 864 587 5608
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of

_____ *(Title of recognized North American Standard)*
which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with Internal Design and BP&V Code _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2000 Cert # 30175 which has been verified by the following authority, ABS Quality Evaluations.

The items covered by this declaration, for which I seek registration, are category "C" Safety Relief Devices type fittings. In support of this application, the following information and/or test data are attached as follows:
Cat # JPC-475L Pages 1 through 4, Data Sheets, ASME Nat'l Board Test Results, Drawings and Stress Analysis

(drawings, calculations, test reports, etc.)

Declared before me at Spartanburg in the state of South Carolina
the 24th day of October AD 2007.

Commissioner for Oaths:

Linda Marlene Cox
(Printed name)
Linda Marlene Cox
(Signature)

MY COMMISSION EXPIRES
MARCH 18, 2015

Arthur H. Long
(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C.

CRN: CSA-0C12098.56
Registered by: R. BARNES
Dated: JUNE 20, 2008

Canadian Standards Association
178 Rexdale Blvd.
Toronto, ON (416) 747-4000

REGISTERED

C.R.N.: CSA-0C12098.56
Signed: R. Barnes
Date: JUNE 20, 2008

NOTE: This registration expires on FEBRUARY 28, 2018

PV 09553 (06/04)

*** NOTE: THESE DEVICES SHALL NOT BE USED AS PRIMARY OVER PRESSURE PROTECTION DEVICES.**



TECHNICAL STANDARDS & SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, Arthur H. Long, Project Mgr. Product Registration and Certification (Applicant)
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Circor Instrumentation Technologies dba: Circle Seal Controls Inc.
(Name of Manufacturer)

Located at 2301 Warlow Circle, Corona, CA 92880 USA (Manufacturer) 864 595 5149 864 587 5608
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of

(Title of recognized North American Standard)
which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with Internal Design and BP&V Code _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2000 Cert # 30175 which has been verified by the following authority, ABS Quality Evaluations

The items covered by this declaration, for which I seek registration, are category "C" Safety Relief Devices type fittings. In support of this application, the following information and/or test data are attached as follows:

Cat # JPC-475L Pages 1 through 4, Data Sheets, ASME Nat'l Board Test Results, Drawings and Stress Analysis
(drawings, calculations, test reports, etc.)

Declared before me at Spartanburg in the state of South Carolina
the 24th day of October AD 2007

Commissioner for Oaths:

Linda Marlene Cox
(Printed name)
Linda Marlene Cox
(Signature)

MY COMMISSION EXPIRES
MARCH 18, 2015

Arthur H. Long
(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C

CRN: OC12098.5

Registered by: S. Lam

Dated: FEB 29, 2008

NOTE: This registration expires on FEB 28, 2018

Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety Program

REGISTERED

C.R.N.: OC12098.5

Signed: S. Lam

Date: FEB 29, 2008

NOTE: THESE DEVICES SHALL NOT BE USED AS PRIMARY OVER PRESSURE PROTECTION DEVICES.



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Circor Instrumentation Technologies, dba: Circle Seal Controls</u>	
MANUFACTURERS ADDRESS: <u>2301 Wardlow Circle</u>	
PLANT LOCATIONS: <u>Corona, CA 92880</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>Proprietary Internal Design Standard supported by ASME stress Calculations</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div style="display: flex; justify-content: space-around; align-items: center;">   </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>Catalogue JPC-475L, Stress Calculations, Engineering Drawings, Quality Certificate NOTE: NOT TO BE USED AS PRIMARY SAFETY RELIEF DEVICES)</p> <p>File: BPV-D-07-05177</p>	

DECLARATION:

I Arthur H. Long (see note 3) employed by Circor Inst Tech. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ABS ISO 9001:2000 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Arthur H. Long
 Declared before me at Spokane, BC, USA
 This 13th day of April AD 2008
 Commissioner of Oaths or Notary Public: (sign) Linda M. Lot
 (Affix Official seal to the right)

USE THIS SPACE FOR THE
OFFICIAL SEAL

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC12098.5
 FID#: 1369

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

PROVINCE OF PRINCE EDWARD ISLAND
DEPT. OF PROVINCIAL AFFAIRS
 CRN: OC12098.5
 DATE: Oct 24 2008
INSPECTION SERVICES DIVISION
BOILER/PRESSURE VESSEL BRANCH

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CIRCOR Instrumentation Technologies, dba: Circle Seal Controls

MANUFACTURERS ADDRESS: 2301 Wardlow Circle

PLANT LOCATIONS: Corona, CA 92980

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers

B Flanges: all flanges

C Valves: all line valves

D Expansion joints, flexible connections, and hose assemblies: all types

E Strainers, filters, separators, and steam traps

F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters

G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs

H Pressure retaining components that do not fall into one of the above categories

N Nuclear components: Class 1 Class 2 Class 3 (Meeting AECB or ASME requirements)



TITLE OF THE STANDARD OF CONSTRUCTION

Proprietary Internal Design
Standard supported
by ASME stress
Calculations

TYPE OF CONSTRUCTION

FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Catalogue JPC-475L, Stress Calculations, Engineering Drawings, Quality Certificate
NOTE: NOT TO BE USED AS PRIMARY SAFETY RELIEF DEVICES)

File: BPV-D-07-05177

DECLARATION:

I, Arthur H. Long [Name] employed by Circor Inst Tech. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ABE ISO 9001:2000 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Arthur H. Long

Declared before me at St. John's, NL

On 22 day of October AD 2008

Commissioner of Oaths
Public (sign) Yvonne Perry

(Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC12098.5

FID#: 1369

Date: Oct. 24/08

CRN: OC12098.58

Dwg: as described

Signed: Yvonne Perry

1 OF 1 Part REGULATIONS

BOILER & PRESSURE VESSEL
NOVA SCOTIA

- Notes:
1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Circor Instrumentation Technologies, dba: Circle Seal Controls</u>	
MANUFACTURERS ADDRESS: <u>2301 Wardlow Circle</u>	
PLANT LOCATIONS: <u>Corona, CA 92880</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>Proprietary Internal Design Standard supported by ASME stress Calculations</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div style="text-align: center;">   </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>Catalogue JPC-475L, Stress Calculations, Engineering Drawings, Quality Certificate NOTE: NOT TO BE USED AS PRIMARY SAFETY RELIEF DEVICES)</p> <p>File: BPV-D-07-05177</p>	

DECLARATION:

I Arthur H. Long (see note 3) employed by Circor Inst Tech. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ABS ISO 9001:2000 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Arthur H. Long


Declared before me at Spartanburg SC, USA

This 24 day of April AD 2008

Commissioner of Oaths
or Notary Public: (sign) Linda M. Wolf

(Affix Official seal to the right)

USE THIS SPACE FOR THE
OFFICIAL SEAL

<p align="center">This space for Regulatory Authority use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>OC12098.5</u></p> <p>FID#: <u>1369</u></p> <p>Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	 <p align="center">REGISTRATION ONLY</p> <p align="center">CRN <u>OC12098.57</u></p> <p align="center"><u>Wale E. Ross</u> EXAMINER</p> <p align="center">for CHIEF BOILER INSPECTOR</p> <p align="center">DATE: <u>October 24, 2008</u></p>
--	---

BLRs PVs
 FITTINGS COMPONENTS

NUNAVUT

YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: CIRCOR Instrumentation Technologies, dba: Circle Seal Controls

MANUFACTURERS ADDRESS: 2301 Wardlow Circle

PLANT LOCATIONS: Corona, CA 92880

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1 Class 2 Class 3 . (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

Proprietary Internal Design
Standard supported
by ASME stress
Calculations

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION

FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Catalogue JPC-475L, Stress Calculations, Engineering Drawings, Quality Certificate
NOTE: NOT TO BE USED AS PRIMARY SAFETY RELIEF DEVICES)

File: BPV-D-07-05177

DECLARATION:

I, Arthur H. Long (see note 3) employed by CIRCOR Inst. Tech. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ABS ISO 9001:2000 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Arthur H. Long
Declarer's name and address: *Spokane, WA, USA*

Date:

April day of *2008* AD 2008

Certification of Oaths

Notary Public: (Sign)

David M. Lot

(Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance

CRN: 0C12098-5

FID#: 1369

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



GOVERNMENT OF
NEWFOUNDLAND
AND LABRADOR

Department of
Government Services

Registered: 0C12098-50

Date: 10/24/2008

GOVERNMENT SERVICE CENTRE
Engineering and Inspection Services

Registered by: *[Signature]*

UNDER THE AUTHORITY OF THE
PUBLIC SAFETY ACT AND
THE BOILER, PRESSURE VESSEL AND
COMPRESSED GAS REGULATIONS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Circor Instrumentation Technologies, dba: Circle Seal Controls

MANUFACTURERS ADDRESS: 2301 Wardlow Circle

PLANT LOCATIONS: Corona, CA 92880

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	Proprietary Internal Design Standard supported by ASME stress Calculations

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



CIRCLE SEAL CONTROLS, INC.

TYPE OF CONSTRUCTION
FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Catalogue JPC-475L, Stress Calculations, Engineering Drawings, Quality Certificate
NOTE: NOT TO BE USED AS PRIMARY SAFETY RELIEF DEVICES)

File: BPV-D-07-05177

DECLARATION:

I Arthur H. Long (see note to) employed by Circor Inst Tech. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ABS ISO 9001:2000 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarant

Arthur H. Long

Declared before me at

Spokane, WA

This 21 day of April AD 2008

Commissioner of Oaths
Notary Public (sign)

David M. Lot


(Affix Official seal to the right)

USE THIS SPACE FOR THE
OFFICIAL SEAL

This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC12098-5
FID#: 1369

Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.





NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Circor Instrumentation Technologies, dba: Circle Seal Controls	
MANUFACTURERS ADDRESS: 2301 Wardlow Circle	
PLANT LOCATIONS: Corona, CA 92880	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting AECB or ASME requirements)	TYPE OF THE STANDARDS OF CONSTRUCTION Proprietary Internal Design Standard supported by ASME stress Calculations
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT  	TYPE OF CONSTRUCTION FORGED OR WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Catalogue JPC-475L, Stress Calculations, Engineering Drawings, Quality Certificate NOTE: NOT TO BE USED AS PRIMARY SAFETY RELIEF DEVICES) File: BPV-D-07-05177	

DECLARATION:

I, Arthur H. Long (see note 3) employed by Circor Inst. Tech. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ABS ISO 9001:2000 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Arthur H. Long
 Declared at and signed at: Spokane, WA USA
 Date: 27 day of October AD 2008
 Commissioner of Oaths: David M. Lot
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance. \$150.00

CRN: OC12098-5
 FID#: 1369

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Northwest Territories
REGISTERED
 UNDER THE AUTHORITY OF
 THE BOILER AND PRESSURE
 VESSEL ACT.
 CRN OC12098-5
 SIGNED: David M. Lot
 DATE Oct 27, 08

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Circle Instrumentation Technologies, dba: Circle Seal Controls

MANUFACTURERS ADDRESS: 2301 Wardlow Circle

PLANT LOCATIONS: Corona, CA 92880

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, level, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components listed in ASME fall into one of the above categories
- I Nuclear components: Class 1 Class 2 Class 3 . (Meeting AFCS or ASME requirements)

TYPE OF THE STANDARD OF CONSTRUCTION
Proprietary Internal Design
Standard supported
by ASME stress
Calculations

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



CIRCLE SEAL CONTROLS, INC.

TYPE OF CONSTRUCTION
FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Catalogue JFC-475L, Stress Calculations, Engineering Drawings, Quality Certificate
NOTE: NOT TO BE USED AS PRIMARY SAFETY RELIEF DEVICES)

File: BPV-D-07-05177

DECLARATION:
I, Arthur H. Long (see note 2) employed by Circle Seal Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge respects the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ANSI ISO 9001:2000 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarant: Arthur H. Long
Designation and of: Spokane WA USA
The 21 day of April AD 2008
Commissioner of Oaths
Notary Public (Sign)

Arthur H. Long
Spokane WA USA
21 day of April AD 2008
Arthur H. Long
(Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance
CRN: OC12098.5
FID#: 1369
Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

NUNAVUT
Boilers and Pressure Vessels Act

REGISTERED
CRN OC12098.5N
Date Oct 24 2008
Signed Arthur H. Long PER PER
Chief Inspector C.B.T.